PUBLIC ADDRESS / SPEAKERS / GARDEN

LAND-30TR

100 V LINE TRANSFORMER GARDEN SPEAKER



IP66

- Rock-shaped design
- High-strength materials, fibreglass, resins and anti-rust components
- Weatherproof with IP-66 protection rating
- High quality sound

+ Info:
https://fonestar.com/LAND-30TR

ESPECIALLY RECOMMENDED IN:



Hospitality



Hotels



Transport Stations



All sectors

DESCRIPTION

6" coaxial rock garden speaker. 30/15 W RMS@100 V. IP-66 protection.

TECHNICAL CHARACTERISTICS

FEATURES	100 V line transformer garden speaker. Weatherproof. They are prepared for outdoor use, have protection against water and anti-corrosion materials.
POWER	30 W RMS
LOUDSPEAKERS	1 x 6" polypropylene woofer 1 x 1/2" tweeter
RESPONSE	100-20,000 Hz
IMPEDANCE	30 W RMS@100 V (333 Ohm) 15 W RMS@100 V (666 Ohm)
SENSITIVITY	88 dB @ 1 W/1 m
MAXIMUN SOUND PRESSURE	102 dB @ max. W/1 m
DISPERSION	H/V: 170°/170° @500Hz, 110°/110°@1kHz, 90°/90°@2kHz, 75°/75°@4kHz (-6 dB)
PROTECTIONS	IP-66 in compliance with EN 60529
MATERIAL	Fibreglass and resins Aluminium grille Stainless steel mounts for floor anchorage Safety hook 30 cm output cable
TEMPERATURE RANGE	Operation: -10°C ~ 50°C
HUMIDITY	<95%
COLOUR	Granite stone
DIMENSIONS	300 x 255 x 270 mm depth
WEIGHT	4.62 kg




+ Info:
https://fonestar.com/LAND-30TR

SPL vs Frequency




SPL vs Angle




Curve	Freq	BW	Q	DI
	500.00	156	2.3	3.6
	1.00K	105	3.4	5.3
	2.00K	84	4.3	6.3
	4.00K	62	5.8	7.7
	8.00K	65	5.5	7.4


+ Info
https://fonestar.com/LAND-30TR


Impedance vs Frequency



+ Info
https://fonestar.com/LAND-30TR







FONESTAR	Model LAND-30TR	Description 100 V LINE TRANSFORMER GARDEN SPEAKER	Units mm	Scale 1:3